

Application No.: 09/849,136

Docket No.: JCLA7097

AMENDMENTSIn the Claims:

Please amend the claims according to the following listing of claims and substitute it for all prior versions and listings of claims in the application.

1. (currently amended) A gas scrubber comprising:
  - a gas inlet pipe that provides the gas scrubber with gases to be processed;
  - a chamber of decomposition to which is connected the gas inlet pipe that delivers the gases to be processed, such that the gases are decomposed into a plurality of different byproducts through a thermal process in the chamber of decomposition;
  - a transparent means through which light can pass through, mounted onto the gas inlet pipe before the chamber of decomposition;
  - a laser device arranged before the chamber of decomposition such that a laser beam, output by the laser device, passes through the transparent means and the gases flowing in the gas inlet pipe to decompose the gases ~~flowing in the gas inlet pipe~~ into a plurality of gas radicals to initiate the reaction of decomposition;
  - means for cooling down the plurality of byproducts produced in the chamber of decomposition; and
  - means for scrubbing the plurality of byproducts produced in the chamber of decomposition.

BEST AVAILABLE COPY

Page 2 of 10

Application No.: 09/849,136

Docket No.: JCLA7097

2. (original) The scrubber of claim 1, wherein a set of reflective mirrors is further arranged such that the laser beam passes through the gases a plurality of times.

3. (original) The scrubber of claim 2, wherein the cross-section of the gas inlet pipe is  $0.317\text{cm}^2$ .

4. (original) The scrubber of claim 3, wherein the flow rate in the gas inlet pipe is 16.7 cc/s.

5. (original) The scrubber of claim 4, wherein the laser focal point is approximately 50cm distant from the chamber of decomposition.

6. (original) The scrubber of claim 5, wherein the laser pulse width is  $1\mu\text{s}$ , the spot size of focal point of the laser is approximately 0.1 to 1mm, and the laser focus intensity is in the order of megawatts/ $\text{cm}^2$ .

7. (original) The scrubber of claim 6, wherein the gases that are processed are fluorocarbon gases.

8. (original) The scrubber of claim 7, wherein approximately  $10^9$  mol/cc of gas are initially decomposed before the chamber of decomposition.

9. (original) A gas scrubber comprising:

a gas inlet pipe that provides the gas scrubber with gases to be processed;

Application No.:09/849,136

Docket No.: JCLA7097

a chamber of decomposition to which is connected the gas inlet pipe that delivers the gases to be processed, such that the gases are decomposed into a plurality of different byproducts through a thermal process in the chamber of decomposition;

a microwave radiation generator device arranged before the chamber of decomposition such that microwave radiation, output by the microwave radiation generator device, passes through the gas inlet pipe to decompose the gases flowing therein into a plurality of different gas radicals to initiate the reaction of decomposition;

means for cooling down the byproducts produced in the chamber of decomposition; and

means for scrubbing the plurality of byproducts produced in the chamber of decomposition.

10. (original) A gas scrubber comprising:

a gas inlet pipe that provides the gas scrubber with gases to be processed;

a chamber of decomposition to which is connected the gas inlet pipe that delivers the gases to be processed, such that the gases are decomposed into a plurality of different byproducts through a thermal process in the chamber of decomposition;

means for decomposing the gases flowing in the gas inlet pipe into a plurality of gas radicals to initiate the reaction of decomposition;

means for cooling down the byproducts produced in the chamber of decomposition; and

means for scrubbing the plurality of byproducts produced in the chamber of decomposition.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**